

GENERAL NOTES

DETAILS OF CONSTRUCTION, MATERIALS AND WORKMANSHIP NOT SHOWN ON THIS DRAWING SHALL CONFORM TO THE PERTINENT REQUIREMENTS OF THE CONTRACT.

POLE MOUNTED TRAFFIC SIGNAL CONTROL CABINET MAYBE MOUNTED ON THE SERVICE POLE IF THE ELECTRICAL UTILITY ALLOWS THE INSTALLATION.

WHEN UTILITY PLOES ARE USED TO SPAN THE TEMPORARY OVERHEAD CABLE, WRITTEN PERMISSION MUST BE OBTAINED FROM THE OWNER OF THE Poles AND GIVEN TO THE PROJECT MANAGER. ALL PERTINENT UTILITY AND CODE CLEARANCES SHALL BE MAINTAINED.


WOOD Poles (NONBREAKAWAY) SHALL BE NO CLOSER TO EDGE OF PAVEMENT THAN OFFSET DISTANCE CHART ALLOWS OR 4 FEET BEHIND PROTECTIVE BARRIER (BEAMGUARD, ETC.).

WOOD POSTS (BREAKAWAY) SHALL BE NO CLOSER THAN 2 FEET OUTSIDE OF SHOULDER.

VERTICAL CLEARANCE ETC. PER NEC.

TRAFFIC SIGNAL FACES SHALL BE TYPICALLY PLACED 12 FEET FROM EDGE OF PAVEMENT.

EACH TRAFFIC SIGNAL FACE SHALL HAVE A BACKPLATE.




TYPICAL DROP TO TRAFFIC SIGNAL FACE


OFFSET DISTANCES FOR TEMPORARY NON-BREAKAWAY Poles	
SPEED LIMIT	OFFSET DISTANCE**
GREATER THAN 45 MPH	18 FT
45 MPH OR LESS	12 FT
45 MPH OR LESS W/ CURBS	2 FT

**NOTE: OFFSET MEASURED FROM OUTER EDGE OF OUTSIDE THRU LANE.


MINIMUM Poles LENGTHS	CLASS	MINIMUM BURIAL DEPTHS
25 FEET	V	5 FEET
30 FEET	V	6 FEET
35 FEET	IV	7 FEET
40 FEET	IV	8 FEET
45 FEET	IV	9 FEET



POLE MOUNT CABINET INSTALLATION



GROUND MOUNT CABINET INSTALLATION



PLAN VIEW TYPICAL BRIDGE TEMPORARY TRAFFIC SIGNAL LOCATION

LEGEND

- WOOD Poles (NONBREAKAWAY)
- ⊙ WOOD POST (BREAKAWAY)
- SIGNAL CABLE
- SIGNAL CABLE W/MESSENGER
- LED TRAFFIC SIGNAL FACE WITH BACKPLATE
- 3-12"
- DIRECTION OF TRAFFIC

BRIDGE TEMPORARY TRAFFIC SIGNAL INSTALLATION

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION

APPROVED
DATE 3/2/2011 /S/ Thomas J. Goring
STATE ELECTRICAL ENGINEER FOR HWYS

FHWA

6

6

S.D.D. 9 G 2-3a

S.D.D. 9 G 2-3a

Bridge Temporary Traffic Signal Installation

References:

NONE

Bid items associated with this drawing:

<u>ITEM NUMBER</u>	<u>DESCRIPTION</u>	<u>UNIT</u>
661.0100	Temporary Traffic Signal for Bridges (structure).....	LS

Standardized Special Provisions associated with this drawing:

<u>STSP NUMBER</u>	<u>TITLE</u>
NONE	

Other SDDs associated with this drawing:


- SDD 9g2 Bridge Temporary Traffic Signal Installation sheet "b" is required.
- [SDD 15d33](#) Traffic Control, One Lane Road with Temporary Signals is required.

Design Notes:

NONE

Contact Person:

Ahmet Demirbilek (414) 220-6801



NOTES:
 1. USE 3/4" DRILL IN WOOD POLE TO PROVIDE HOLE FOR 5/8" BOLTS.

TYPICAL DEAD-ENDINGS OR GUYING

BRIDGE TEMPORARY TRAFFIC SIGNAL INSTALLATION	
STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION	
APPROVED DATE <u>3/2/2011</u>	/S/ <u>Thomas J. Goring</u> STATE ELECTRICAL ENGINEER FOR HWYS
FHWA	

6

6

S.D.D. 9 G 2-3b

S.D.D. 9 G 2-3b

Bridge Temporary Traffic Signal Installation

References:

NONE

Bid items associated with this drawing:

<u>ITEM NUMBER</u>	<u>DESCRIPTION</u>	<u>UNIT</u>
661.0100	Temporary Traffic Signal for Bridges (structure).....	LS

Standardized Special Provisions associated with this drawing:

<u>STSP NUMBER</u>	<u>TITLE</u>
NONE	

Other SDDs associated with this drawing:


- SDD 9g2 Bridge Temporary Traffic Signal Installation sheet "a" is required.
- [SDD 15d33](#) Traffic Control, One Lane Road with Temporary Signals is required.

Design Notes:

NONE

Contact Person:

Ahmet Demirbilek (414) 220-6801




TRAILER MOUNTED TRAFFIC SIGNAL

GENERAL NOTES

DETAILS OF CONSTRUCTION, MATERIALS AND WORKMANSHIP NOT SHOWN ON THIS DRAWING SHALL CONFORM TO THE PERTINENT REQUIREMENTS OF THE CONTRACT.

SIGNING, PAVEMENT MARKING AND LANE CONTROL REQUIREMENTS SHALL CONFORM TO STANDARD DETAIL DRAWING 15 D 33.



TYPICAL TRAILER MOUNTED TRAFFIC SIGNAL LOCATION

LEGEND

- ⌋ POST MOUNTED SIGN
- *-x-* REMOVING PAVEMENT MARKING
- ⌋ TYPE III BARRICADE WITH SIGN
- /● DRUM WITH/WITHOUT WARNING LIGHT, TYPE C (STEADY-BURN)
- ▭ TEMPORARY PRECAST CONCRETE BARRIER
- ⌋ TRAILER MOUNTED TRAFFIC SIGNAL
- ➡ DIRECTION OF TRAFFIC FLOW

BRIDGE TEMPORARY TRAFFIC SIGNAL INSTALLATION

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION

APPROVED
3/2/2011 /S/ Thomas J. Gorring
DATE STATE ELECTRICAL ENGINEER FOR HWYS
FHWA

6

6

S.D.D. 9 G 2-3c

S.D.D. 9 G 2-3c

Bridge Temporary Traffic Signal Installation

References:

NONE

Bid items associated with this drawing:

<u>ITEM NUMBER</u>	<u>DESCRIPTION</u>	<u>UNIT</u>
661.0100	Temporary Traffic Signal for Bridges (structure).....	LS

Standardized Special Provisions associated with this drawing:

<u>STSP NUMBER</u>	<u>TITLE</u>
NONE	

Other SDDs associated with this drawing:

- SDD 9g2 Bridge Temporary Traffic Signal Installation sheet "a" is required.
- [SDD 15d33](#) Traffic Control, One Lane Road with Temporary Signals is required.

Design Notes:

NONE

Contact Person:

Ahmet Demirbilek (414) 220-6801